



CATALOGUE OF THE
CULTURE COLLECTION OF THE
COMMONWEALTH MYCOLOGICAL INSTITUTE

First edition

Supplement 4

July, 1955

NEW ACCESSIONS

Alternaria dauci (Kühn) Groves & Skolko

58, 484 Carrot leaves, Gold Coast, 1954. F. C. Peacock (GCMH. 4024).

Aspergillus awamori Nakazawa

59, 605 Rhizosphere of *Tropaeolum* sp., Botanical Garden, Ain Shams University, Egypt. A. H. Montasiz—CMI, 1955.

59, 613 Rhizosphere of *Tropaeolum* sp., Botanical Garden, Ain Shams University, Egypt. A. H. Montasiz—CMI, 1955.

Aspergillus candidus Link ex Fr.

59, 446 Eye lesion of duckling, Cambridge, 1953. P. K. C. Austwick (V. 471/1).

Aspergillus niger v. Tiegh.

59, 374 Defence Research Lab. s, Victoria, Australia (SN. 111)—CMI, 1955.
Strain used for testing mould-proofing.

59, 429 University of Madras (MUBL. 1)—CMI, 1955.

Botryodiplodia theobromae Pat.

55, 950 Cashew root, Tanganyika, 1953. M. M. Wallace (399/53).

Botrytis spectabilis Harz

60, 069 Soil in mushroom house, Stourport, Worcs., 1955. W. R. Rosset.

Botrytis tulipae Lind

55, 314 Dutch tulip bulbs, Giza-Orman, Egypt, 1953. Abd El Kader & M. El Zarka (3700).

Calcarisporium arbuscula Preuss

58, 785 *Hygrophorus pratensis*, Yorkshire, 1954. C. J. La Touche.

Cercospora elaeidis Steyaert

57, 372 *Elaeis guineensis* seedlings, Nigeria, 1954. R. A. Bull (70-5).

Cladosporium cladosporioides (Fresen.) de Vries

59, 473 Earthworms, Scotland, 1955. M. Kamel.

Colletotrichum capsici (Syd.) Butler & Bisby group

56, 173 *Arachis voandzeia*, Tanganyika, 1954. J. Hemingway (84/54).

Coremiella ulmariae (McWeeney) Mason apud Hughes

(Syn. *Stysanus ulmariae* McWeeney)

36, 938 (A) *Picea abies*, Sjaelland, Hørsholm, Skordtrikt, Denmark, 1949.
E. W. Mason.

Coryneum kuntzei Corda var. *castaneae* Sacc.

58,045 Sweet chestnut, Shere, Surrey, 1954. S. Batko.

Curvularia affinis Boedijn

58,645 Soil, Belgian Congo, 1954. J. Meyer(189).

Curvularia fallax Boedijn

58,646 Soil, Belgian Congo, 1954. J. Meyer(190).

Curvularia maculans (Bancroft) Boedijn

58,112(a) Sorghum grain, Najala, Sierra Leone, 1954. F. C. Deighton
(M. 6219. A).

Dactylaria pyriformis Juniper

56,803 (T) Cow dung, Langdon Hills, Essex, 1953. A. J. Juniper. Captures
nematodes.

Diplodia sapinea (Fr.) Fuckel

57,821(b) Pinus pinaster, timber mill, Melbourne, Australia, 1954. N. E.
Walters(DFP. 4702).

Endothia parasitica (Murr.) Anderson & Anderson

59,815 Chestnut. CBS—G. Smith(BB. 213), 1954.

Fusarium culmorum (W. G. Smith) Sacc.

59,448 Hay (toxic to heifers), Wolverhampton, 1952. P. K. C. Austwick(V.126/1).

Fusarium oxysporum Schlecht. ex Fries.

59,449 Goose egg membrane, Devon, 1952. P. K. C. Austwick(V. 105/2).

Fusarium sambucinum Fuckel forma

59,450 Air sac of turkey, 1953. P. K. C. Austwick(V. 570).

Fusarium solani (Mart.) App. & Wollenw.

58,668 Y. van Koot—CBS—CMI, 1954.

Fusarium sporotrichioides Sherb.

59,451 Skin of pig, Herts., 1953. P. K. C. Austwick(V. 626/9).

Gibberella fujikuroi (Saw.) Wollenw.

56,519 Maize cobs, Northern Rhodesia, 1954. E. A. Riley(409); = W. L. Gordon
3890.

Gibberella zeae (Schw.) Petch

(Syn. *Fusarium graminearum*)

58,518 Maize cob, Northern Rhodesia, 1954. E. A. Riley(401); = W. L. Gordon
3889.

Gliocladium roseum Bain.

59,284 Pinus peuce seeds, Farnham, Surrey, 1955. S. Batko.

Glomerella cingulata (Stonem.) Spauld. & Schrenk

58,716 Elaeis guineensis, Yaligamba, Belgian Congo, 1954. W. G. Kovachich
(HCB. 879).

Helminthosporium australiense Bugnicourt

53,994 (T) Rice, Australia. F. Bugnicourt(2)—CMI, 1953.

Helminthosporium carbonum Ullstrup

58, 713 *Elaeis guineensis*, Yaligamba, Belgian Congo, 1954. W.G. Kovachich (HCB. 853).

Helminthosporium halodes Drechsl. var. *elaicola* Kovachich

55, 304 (A) *Elaeis guineensis* leaves, Yaligamba & Elizabetha, Belgian Congo, 1953. W. G. Kovachich.

Helminthosporium hawaiiense Bugnicourt

53, 993 (A) Rice, New Guinea. F. Bugnicourt(1)—CMI, 1953.

Humicola fusco-atra Traaen

59, 609 Rhizosphere of *Tropaeolum* sp., Ain Shams University, Egypt, 1954. A. H. Montasiz.

Hyalodendron verticillatum Red. & Cif.

59, 452 Skin of calf, Liverpool, 1953. P. K. C. Austwick(V. 624).

Macrophomina phaseoli (Maubl.) Ashby

59, 801 *Carica papaya*, Mt. Makulu Res. Sta., Northern Rhodesia, 1954. F. C. Peacock(GCMM. 562).

Magnusia spirotricha Benjamin

60, 034 (T) Deer dung, San Gabriel Canyon, Cal., U.S.A., 1953. R.K. Benjamin (RSABG. 116).

Metarrhizium anisopliae (Metschn.) Sorok.

57, 692 Lepidopterous larva, Njala, Sierra Leone, 1954. F. C. Deighton(M. 6134).

Mucor bacilliformis Hesseltine

55, 297 (T) Soil, Hayward, Wisconsin, U.S.A., 1940. C. W. Hesseltine—NRRL(2346).

Myxosporium abietinum Rostrup

58, 046 *Pseudotsuga douglasii*, Penshurst Estate, Kent, 1954. S. Batko.

Neocosmospora vasinfecta E. F. Smith

58, 494 Coconut, Keta, Gold Coast, 1954. E. B. Martyn(130)—M. F. Madelin.

Nummularia bulliardi Tul.

58, 377 Fagus, Ranmore Common, Surrey, 1954. C. Booth.

Oedocephalum glomerulosum Sacc.

60, 070 Contaminant of culture, Sheffield, 1955. J. Webster(1643b).

Paecilomyces elegans (Corda) Mason & Hughes

59, 139 *Larix* log, Mortimer Forest, Berks., 1954. S. Batko.

59, 140(a) *Larix* log, Mortimer Forest, Berks., 1954. S. Batko.

59, 836 Chalk soil, England, 1955. V. Sankey.

59, 837 Chalk soil, England, 1955. V. Sankey.

Paecilomyces marquandii (Masse) Hughes

59, 469 Chalk soil, England, 1955. V. Sankey.

Paecilomyces varioti Bain.

58, 453 CBS—A.H.S. Brown(Pa. 7), 1950.

Penicillium granulatum Bain.

59, 286 Seed Testing Laboratory, Forestry Commission, Surrey. S. Batko, 1955.

Penicillium luteum Zukal

40, 048 Soil, Winnipeg, Canada, 1933. G.R. Bisby—Thom(5357. 208)—NRRL
(1010)—G. Smith.

Penicillium patulum Bain.

59, 511 Christine J. Bessell(C613), 1955.

Penicillium piscarium Westling

57, 248 Soil, Northern Ireland, Q.A. Ahmed—CMI, 1954.

Penicillium thomii Maire

59, 866 Scandinavian wood pulp, Gravesend, Kent, 1955. P. Russell(CRL831).
60, 049 Chalk soil, England, 1955. V Sankey(V. Bd).

Penicillium wortmanni Klöcker

60, 036 Culture contaminant, Ceylon, 1955. J. W. L. Pieris.

Periconia igniaria Mason & M. B. Ellis

58, 371 (A) Soil, Reynold's River, N.T., Australia, 1954. J. H. Warcup(11196).

*Periconia macrospinos*a Lefebvre & A. G. Johnson

58, 372 Soil, Adelaide, S. Australia, 1954. J. H. Warcup(W. 60).

Phialophora melinii (Nannf.) Conant

59, 445 CBS—CMI, 1955.

Piptocephalis xenophila Dobbs & English

56, 592(i) (T) on *Penicillium waksmani* Zal. from soil nr. Bristol, 1941. C. G. Dobbs.
56, 692(ii) on *Stemphylium sarcinaeforme* (Cav.) Wilts. inoc. from 56, 693(i) by Dobbs.
56, 693(i) on *Penicillium frequentans* Westl. from soil, Ottawa, 1951. D. Wells
—C. G. Dobbs.
56, 693(ii) on *Mortierella ramanniana* (Möller) Lindemann, inoc. from 56, 693(i) by Dobbs.

Plicaria fulva Schneider

59, 206 (T) Greenhouse soil, Berlin-Dahlem, 1953. R. Schneider.

Pullularia pullulans (de Bary. & Löw) Berkh.

58, 404 Coffee stem, Tanganyika, 1954. G. B. Wallace(367/54).

Rhinocladiella atrovirens Nannf.

58, 774 *Pinus radiata*, Brunswick, Australia, 1954. N. E. Walters(DFP. 4620).

Sclerotinia gladioli (Mass.) Drayton

57, 824 *Gladiolus* corms, Southern Rhodesia, 1954. A. Rothwell(MR. 12420).

Sclerotium rolfsii Sacc.

59, 151(a) Moss, Njala, Sierra Leone, 1954. F. C. Deighton(M. 6327A).

Stilbum kervillei Quéf.

56, 174 A dipteran, Frosterly, Durham, 1954. M. Hazelton.

Stilbum tomentosum Schrader ex Fr. var. *ovalisporum* A. L. Smith

58, 305 *Trichia*, New Forest, Hants, 1954. A. H. S. Brown.

Subbaromyces splendens Hesseltine

55, 298 (A) Filter beds, Pearl River, New York. C. W. Hesseltine—NRRL
(2340)—CMI, 1955.

Thielavia sepedonium Emmons

58, 375 Soil, Adelaide, Australia. J.H. Warcup(W.40)—CMI, 1955.

Trichoconis crotalariae Salam & Rao52, 821 (T) *Crotalaria verrucosa*, Hyderabad, 1952. M.A. Salam & P.N. Rao (No. 11).*Trichoderma viride* Pers. ex Fr.

59, 151(b) Moss, Njala, Sierra Leone, 1954. F.C. Deighton(M. 6327. B).

Valsa eugeniae Nutman & Roberts

57, 979 Cashew, nr. Lindi, Tanganyika, 1954. M.M. Wallace(279/54).

Verticillium dahliae Kleb.

58, 535 Eggplant, Southern Rhodesia, 1954. A. Rothwell.

59, 436 Banana, Tanganyika, 1954. G.B. Wallace(305/54).

AMENDMENTS

Fusarium stilboides: 52, 048 and 53, 606 are now identified as *F. lateritium* Nees var. *longum* Wollenw.; 53, 606 is Storey's form A1.*Helminthosporium halodes* Drechsler var. *elaicola* Kovachich: 52, 930(a) (T), formerly listed as *H. halodes* Drechsler.*Pericystis apis* Maassen: renamed *Ascosphaera apis* (Maassen ex Claussen) Olive & Spiltoir*Trichoconis* sp.: 49, 116 has been identified as *T. crotalariae* Salam & Rao

DELETIONS

38, 583 *Aspergillus nidulans*
var. *S epsilon*56, 702 *Helicosporium hendrickxii*17, 362 *Lachnea abundans*38, 588 *Aspergillus nidulans*
var. *S lambda*21, 199 *Monascus purpureus*44, 205 *Chaetomium cupreum*53, 188 *Pestalotiopsis gracilis*44, 207 *Chaetomium gangligerum*32, 268, 42, 104, 42, 076, and 46, 333
*Phytophthora palmivora*36, 114 *Dactylella reticulata*10, 992 *Ramularia bellunensis*42, 795 *Fusarium equiseti*45, 323 *Verticillium nubilum*

IMPORTATION OF CULTURES INTO N. AMERICA

Orders for cultures from Canada and the United States of America should be accompanied by importation permits in the form of special tags, without which entry may be refused or long delays in delivery may be caused. Tags may be obtained in Canada from the Chief of the Plant Protection Division, Science Service Building, Carling Avenue, Ottawa; in the United States from the Bureau of Entomology and Plant Quarantine, 209 River Street, Hoboken, New Jersey.

